#### **ATTACHMENT A**

## ATTACHMENT A PRICING SCHEDULE & SPECIFICATIONS:

CATEGORY 1			
CATEGORY 1: Heavy Duty Equipment: Compact Tracked Loader			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Case, Caterpillar, JCB, John Deere, or equivalent			
manufacturer:			
All compact track drive loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 80 horsepower Rated operating capacity 2,500 pounds, minimum Rated operating capacity at 50% of tipping load 3,600 pounds, minimum Tipping load 7,300 pounds, minimum Automatic bucket leveling Reinforced rubber tracks			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
PERCENTAGE (%) DISCOUNT:  Indicate the % discount offered from the current manufacturer's published price			

above item in this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk-R (Readable).

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	%
	Current price list identification:, Date:	

#### **ATTACHMENT A**

CATEGORY 1: Heavy Duty Equipment: Compact Wheel Drive Skid Steer Loader			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Case, Caterpillar, JCB, John Deere, or equivalent manufacturer:  All compact wheel drive skid-steer loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:			
<ul> <li>Diesel engine, minimum 70 horsepower</li> <li>Rated operating capacity 2,200 pounds, minimum</li> <li>Tipping load 4,300 pounds, minimum</li> <li>Automatic bucket leveling</li> </ul>			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
•			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	%

CATEGORY 1: Heavy Duty Equipment:			
Extra Heavy Duty Tractor			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. John Deere, Case Farmall, New Holland, or equivalent			
manufacturer:			
All heavy duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 130 horsepower  540 RPM rear PTO, 115 horsepower minimum  3-point hitch, 6,000 lbs minimum lift capacity at 24"  Two wheel drive, with MFWD front axle for on/off 4WD  Fully enclosed cab			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
•			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
DEDCENTACE (0/ ) DISCOLING	•		

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

CATEGORY 1: Heavy Duty Equipment: Heavy Duty Tractor			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 4. Case Farmall, John Deere, Kubota, New Holland, or equivalent manufacturer:  All heavy duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 90 horsepower  540 RPM rear PTO, 75 horsepower minimum  3-point hitch, 4,400 lbs minimum lift capacity at 24"  Four wheel drive  Enclosed cab			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment %
		Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	%
	Current price list identification:, Date:	

CATEGORY 1: Heavy Duty Equipment: Medium Duty Tractor			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 5. Case Farmall, John Deere, Kubota, Mahindra, New Holland, or equivalent manufacturer:  All medium duty tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 60 horsepower  540 RPM rear PTO, 50 horsepower minimum  3-point hitch, 3,100 lbs minimum lift capacity at 24"  Four wheel drive			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:  Current price list identification:  , Date:	%

CATEGORY 1: Heavy Duty Equipment: Compact Tractor			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 6.  Case Farmall, John Deere, Kubota, Mahindra, New Holland, or  equivalent manufacturer:  All compact tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 30 horsepower  540 RPM rear PTO, 20 horsepower minimum  3-point hitch, 2,200 lbs minimum lift capacity at 24"  Four wheel drive			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	

CATEGORY 1: Heavy Duty Equipment: Sub-Compact Tractor			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 7. John Deere, Kubota, Mahindra, New Holland, or equivalent manufacturer:			
All sub-compact tractor equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 20 horsepower  540 RPM rear PTO, 12 horsepower minimum  3-point hitch, 650 lbs minimum lift capacity at 24"  Four wheel drive or selectable two wheel drive / four wheel drive			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
·			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	%

CATEGORY 1: Heavy Duty Equipment: Backhoe Loader			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 8. Caterpillar, Case, John Deere Industrial, Terex, or equivalent manufacturer:  All backhoe loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 90 horsepower  174" (14' 6") minimum backhoe standard dig depth  7,000 lbs. minimum loader bucket lift to full height  ROPS operator cab Four wheel drive			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.   Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	<b>\$</b>	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	%
	Current price list identification:, Date:	

CATEGORY 1: Heavy Duty Equipment: Crawler Loader			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 9. Caterpillar, Case, John Deere Industrial, Komatsu, or equivalent manufacturer:			
All crawler loader equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 125 horsepower Hydrostatic drive/transmission 27,000 lbs minimum SAE breakout force 23,000 lbs minimum tipping load ROPS operator cab			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	

## ------ CATEGORY 2: Off Road Utility Vehicles ------

CATEGORY 2: Off Road Utility Vehicles: Heavy Duty 4x4 Diesel Service Truck			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Kubota RTV900XT, or equivalent			
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 20 horsepower  (2) occupants plus cargo Hydraulic dumping cargo bed 50"Long x 45" wide x 10" Deep cargo bed 1,600 lbs minimum payload capacity 1,200 lbs minimum towing capacity Four wheel drive			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	%
	Current price list identification:, Date:	

CATEGORY 2: Off Road Utility Vehicles: Medium Duty 4x4 Diesel Service Truck			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 20 horsepower  (2) occupants plus cargo  40"Long x 46" wide x 9" deep cargo bed  Tilting dump bed with tailgate  1,400 lbs minimum payload capacity  1,300 lbs minimum towing capacity  Four wheel drive			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

## PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

CATEGORY 2: Off Road Utility Vehicles: Medium Duty 4x4 Gasoline Service Truck			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine, minimum 18 horsepower  (2) occupants plus cargo  40"Long x 52" wide x 10" deep cargo bed  1,500 lbs minimum payload capacity  1,500 lbs minimum towing capacity  Four wheel drive			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Bluder shall list below the name of the Manufacturer's List/Retail Frice Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

## **ATTACHMENT A**

CATEGORY 2: Off Road Utility Vehicles: Medium Duty 4x2 Gasoline Service Truck				
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
ITEM 4. Toro Workman MDX, or equivalent:				
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine, minimum 14 horsepower  (2) occupants plus cargo  40"Long x 52" wide x 10" deep cargo bed  Power tilting cargo bed  1,500 lbs minimum payload capacity  1,200 lbs minimum towing capacity  Four wheel drive				
Table 1:				
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.				
Manufacturer Name:				
Manufacturer's Make:				
Manufacturer's Model #:				
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.				
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$	

#### PERCENTAGE (%) DISCOUNT:

Description	Equipment % Discount
Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
Manufacturer Name:	
Current price list identification:, Date:	%

## **ATTACHMENT A**

CATEGORY 2: Off Road Utility Vehicles: Light Duty 4x2 Gasoline Service Truck			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 5. EZ-GO Turf MPT 1200, Club Car Carryall 2, or equivalent:			
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine, minimum 11 horsepower  (2) occupants plus cargo  36"Long x 44" wide x 10" deep cargo bed  1,200 lbs minimum payload capacity  800 lbs bed load capacity  Two wheel drive			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Description	Equipment % Discount
Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
Manufacturer Name:	
Current price list identification:, Date:	%

CATEGORY 2: Off Road Utility Vehicles: Heavy Duty 4x2 Diesel Flatbed Truck					
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount		
ITEM 6. Toro Diesel Workman HD, or equivalent:					
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Diesel engine, minimum 23 horsepower  (2) occupants plus cargo  64"Long x 46" wide x flatbed cargo bed  Power tilting cargo bed  2,400 lbs minimum payload capacity  2,400 lbs minimum towing capacity  Two wheel drive					
Table 1:					
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.					
Manufacturer Name:					
Manufacturer's Make:					
Manufacturer's Model #:					
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.					
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$		

#### PERCENTAGE (%) DISCOUNT:

Table 2:	<b>Description</b>	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

CATEGORY 2: Off Road Utility Vehicles: Heavy Duty 4x2 Gasoline Flatbed Truck				
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
ITEM 7. Toro Gasoline Workman HD, or equivalent:				
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine, minimum 22 horsepower  (2) occupants plus cargo  64"Long x 46" wide x flatbed cargo bed  Power tilting cargo bed  2,400 lbs minimum payload capacity  2,400 lbs minimum towing capacity  Two wheel drive				
Table 1:				
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.				
Manufacturer Name:				
Manufacturer's Make:				
Manufacturer's Model #:				
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.				
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$	

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	%

CATEGORY 2: Off Road Utility Vehicles: Light Duty 4x2 Gasoline Flatbed Truck				
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
All heavy duty off road service vehicle equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine, minimum 11 horsepower  (2) occupants plus cargo  46"Long x 48" wide x flatbed cargo bed  900 lbs minimum payload capacity  800 lbs bed load capacity				
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:				
Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.   Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$	

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### ATTACHMENT A

## ----- CATEGORY 3: Tractor Towed PTO Driven Equipment -----

## CATEGORY 3: Tractor Towed PTO Driven Mowers: Pull type gang mower, terrain following, on a tilting frame for transport, for heavy duty large area mowing on flat and uneven terrain: Mfg. List **Unit Price** Sample of Approved Equipment List Quantity **Price After Discount** ITEM 1. Befco Cyclone Super-Flex 420-SFLA, or equivalent: All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements: Requires 40 to 80 horsepower tractor PTO Cutting width 20 feet (3) free floating mowing decks Drive line for tractor 3-point hitch and 540 RPM PTO 1" to 5" cutting height Rotary type cutting, (9) cutting blades 13" diameter deck tires, pneumatic or semi-pneumatic Anti-scalping rollers Table 1: Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below. Manufacturer Name: Manufacturer's Make: Manufacturer's Model #: Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent. Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response. 1 EACH \$\_\_\_

#### PERCENTAGE (%) DISCOUNT:

Indicate the %	discount offered from the current manufact	arer's published price list o	r vendor's retail price sl	neet for the above item in
this Category.	Discount must be entered on Attachment A1	, Attachment B that must b	e submitted in a Disk-R	(Readable) Format.

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%
<u> </u>		

**CATEGORY 3: Tractor Towed PTO Driven Mowers:** 

Pull type gang mower, terrain following, on a tilting frame for transport, for general mowing

#### **ATTACHMENT A**

on large areas, flat and uneven terrain, such as parks, golf courses, school yards, large				
recreation areas:  Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
ITEM 2. Progressive Tri-Deck TD65-15½, or equivalent:  All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires 30 to 50 horsepower tractor PTO  Cutting width of 15 feet  (3) free floating mowing decks  Drive line for tractor 3-point hitch and 540 RPM PTO  1" to 5" cutting height  Rotary type cutting, (9) cutting blades  15" diameter deck tires, pneumatic or semi-pneumatic  Anti-scalping rollers		Price	After Discount	
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.				
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$	

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	0/
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

Manufacturer Name:

Manufacturer's Make: \_\_\_\_\_\_

Manufacturer's Model #:

Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.

Bidder must provide the actual price that includes the discount offered

against the current Published Price List included in your bid response.

### **CATEGORY 3: Tractor Towed PTO Driven Mowers:** Pull type gang mower, terrain following, on a tilting frame for transport, for finish mowing on medium area flat or uneven terrain: Mfg. List **Unit Price** Sample of Approved Equipment List **Ouantity Price After Discount** ITEM 3. Progressive Pro-Flex 120, or equivalent: All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements: Requires 30 to 40 horsepower tractor PTO Cutting width of 9 feet, minimum (5) free floating mowing decks Drive line for tractor 3-point hitch and 540 RPM PTO 1" to 3" cutting height (5) cutting blades 10" diameter deck tires, pneumatic or semi-pneumatic Anti-scalping rollers Table 1: Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.

#### PERCENTAGE (%) DISCOUNT:

1 EACH

\$

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item in this Category.

Table 2:	Description		Equipment % Discount
	Bidder shall list below the name of the Manufacturer's I	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%
	Current price list identification.	, Ducc	

## **ATTACHMENT A**

CATEGORY 3: Tractor Towed PTO Driven Mowers: Pull type gang mower, terrain following, on a tilting frame fo on medium to large area flat or uneven terrain:	r transpo	rt, for finis	sh mowing
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires 35 to 60 horsepower tractor PTO Cutting width of 11 feet, minimum (3) free floating mowing decks Drive line for tractor 3-point hitch and 540 RPM PTO 1" to 5" cutting height (9) cutting blades 13" diameter deck tires, pneumatic or semi-pneumatic Anti-scalping rollers			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

## PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item	in
this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk-R (Readable) Format.	

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price S	heet Less:
	Manufacturer Name:	
	Current price list identification:, Date:	%

## **ATTACHMENT A**

CATEGORY 3: Tractor Towed PTO Driven Mowers: Pull type multiple unit heavy duty flexible wing rotary cutter for wide area heavy duty brush cutting, land clearing, highway maintenance, heavy brush material up to 4" thick:				
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
ITEM 5. John Deere model CX-15, or equivalent:				
All tractor towed PTO driven rotary cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires minimum 55 horsepower tractor PTO, 540 RPM  Cutting width of 15 feet  Heavy duty 10 ga. minimum thick steel decks, with ¼" thick skirt  (2) hydraulic lift wing sections  Connects available for tractor 3-point hitch or pull type hitch  2" to 16" cutting height  1/2" thick extra heavy duty steel rotary cutting blades  Cuts material up to 4" thick  Slip clutch drive line protection  Front and rear discharge shields  Rear caster wheel(s)				
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:				
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.				
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$	
PERCENTAGE (%) DISCOUNT:				

Indicate the	% discount offered from the current manufacturer's published price list or vendor's retail price	ce sheet for the above item in
this Categoi	y. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Dis	sk–R (Readable) Format.

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 6. Bush Hog model 406, or equivalent:			
All tractor towed PTO driven rotary cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires minimum 50 horsepower tractor PTO, 540 RPM  Cutting width of 6 feet, minimum  Heavy duty ½" minimum thick steel deck  Connects available for tractor 3-point hitch or pull type hitch  2" to 12" cutting height  ½" minimum thick extra heavy duty steel rotary cutting blades  Cuts material up to 4" thick  Slip clutch drive line protection  Front discharge shields  Rear caster wheel(s)			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the			
brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered			
against the current Published Price List included in your bid response.	1	\$	\$

PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item in this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk-R (Readable) Format.

## **CATEGORY 3: Tractor Towed PTO Driven Mowers:**

Pull type single unit mower, for finish mowing on medium to small areas such as parks, school lawns, sports fields, golf course:

Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires 20 to 50 horsepower tractor PTO Cutting width of 48 inches Drive line for tractor 3-point hitch and 540 RPM PTO 1" to 5" cutting height (3) rotary cutting blades 10" diameter deck tires, pneumatic or solid Rear cuttings discharge			
Table 1:         Bidder shall list below the Manufacturer's Name, Make, and Model # of the			
Manufacturer's Make:			
Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		Equipment % Discount
	Bidder shall list below the name of the Manufacturer's I  Manufacturer Name:  Current price list identification:	.ist/Retail Price Sheet Less:	%
	Current price list identification:	, Date:	

#### **ATTACHMENT A**

CATEGORY 3: Tractor Towed PTO Driven Mowers: Pull type single unit mower, for finish mowing on medium to large areas such as parks, school lawns, sports fields, golf course, including areas with uneven terrain:				
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount	
ITEM 8. Bush Hog model RDTH84, or equivalent:				
All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires 30 to 55 horsepower tractor PTO  Cutting width of 84 inches  Drive line for tractor 3-point hitch and 540 RPM PTO  1½" to 5½" cutting height  (3) rotary cutting blades  10" diameter deck tires, pneumatic or solid  Rear cuttings discharge				
Table 1:				
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.				
Manufacturer Name:				
Manufacturer's Make:				
Manufacturer's Model #:				
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.				
•				
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$	
		•		

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

## **ATTACHMENT A**

CATEGORY 3: Tractor Towed PTO Driven Mowers: Pull type single unit air tunnel grooming mower, for finish m for moist, rugged, or tall grass:	owing on	medium	to large areas
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All tractor towed PTO driven mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Requires 20 to 40 horsepower tractor PTO  Cutting width of 72 inches  Drive line for tractor 3-point hitch and 540 RPM PTO  1" to 6" cutting height  (3) rotary cutting blades, offset for overlap  10" diameter deck tires, pneumatic or solid  Side cuttings discharge, with air lifting of cuttings			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.  PERCENTAGE (%) DISCOUNT:	1	\$	\$

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

## **ATTACHMENT A**

# 

Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Jacobsen HR9016, Toro Groundsmaster 5900D, or equivalent:  All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  85 horsepower diesel engine, minimum  Cutting width of 16 feet  (1) main deck and (2) wing decks  1" to 5" cutting height  Hydraulic powered rotary cutting blades  Hydrostatic all wheel drive  Driver station with steering wheel and adjustable seat			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

Table 2:	Description	Equipn	nent % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:		
	Current price list identification:, Date:		

## **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers:  Medium duty wide coverage gang type rotary blade riding mower for large grass area mowing, mowing of golf course rough turf, and large grass sports fields:					
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount		
All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  50 horsepower diesel engine, minimum  Cutting width of 10 feet  (1) main deck and (2) wing decks  1" to 5" cutting height  Hydraulic powered rotary cutting blades					
Full time all wheel drive Driver station with steering wheel and adjustable seat  Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.					
Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:					
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.					
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$		

#### PERCENTAGE (%) DISCOUNT:

Indicate the %	o discount offered fr	om the current manufactu	irer's published	price list or vendor'	s retail price sho	eet for the above ite	m in
this Category.	Discount must be e	ntered on Attachment A1	Attachment B	that must be submitt	ed in a Disk–R	Readable) Format.	

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's I	ist/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

## **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers:  Medium duty wide coverage single deck type rotary blade riding mower for large grass area mowing, mowing of golf course rough turf, and large grass sports fields:					
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount		
ITEM 3. Toro Groundsmaster 4100D, or equivalent:					
All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  50 horsepower diesel engine, minimum  Cutting width of 10 feet  (1) main deck with swing-up side deck sections for (3) cut widths  1" to 5" cutting height  Hydraulic powered rotary cutting blades  Full time all wheel drive  Driver station with steering wheel and adjustable seat					
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.					
Manufacturer Name:					
Manufacturer's Make:					
Manufacturer's Model #:					
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.					
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$		

#### PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the abo	ve item in
this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk-R (Readable) For	rmat.

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's I	ist/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### ATTACHMENT A

CATEGORY 4: Self Propelled Riding Mowers: Wide coverage gang reel type riding mower for large grass a mowing of golf course fairway turf:	area medi	um finish	mowing, and
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 4. John Deere Golf model 7700, Toro Reelmaster 5510D, or equivalent:			
All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  30 horsepower diesel engine  Cutting width of 8 feet  (5) reel mowing units  0.25" to 2" cutting height  Hydraulic powered mowing reels  Hydrostatic all wheel drive  Driver station with steering wheel and adjustable seat			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
•			
Bidder must provide the actual price that includes the discount offered			ф
against the current Published Price List included in your bid response.	1 EACH	\$	\$
PERCENTAGE (%) DISCOUNT: Indicate the % discount offered from the current manufacturer's published price list or very this Category. Discount must be entered on Attachment A1, Attachment B that must be seen that the second sec	submitted in a		able) Format.

## 

## **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers: Gang reel type riding mower for small to medium area finish course rough, trim, and surrounds areas turf:	mowing,	and mow	ing of golf
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 5. John Deere Golf model 2653B, Toro Reelmaster 3100D, or equivalent:  All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  18 horsepower diesel engine Cutting width of 72 inches or 84 inches (3) reel mowing Mfg. List Prices 0.375" to 2" cutting height Hydraulic powered mowing reels			
<ul> <li>Hydrostatic all wheel drive</li> <li>Driver station with steering wheel and adjustable seat</li> </ul> Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Manufacturer's Make:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$
PERCENTAGE (%) DISCOUNT: Indicate the % discount offered from the current manufacturer's published price list or v	vendor's retail	price sheet for	r the above item in

tilis Categor	ry. Discount must be entered on Attachment A1, Attachm	ent b that must be submitted in a Di	sk-k (Readable) Format.
Table 2:	Description		<b>Equipment % Discount</b>
Table 2.	Description		Equipment 70 Discount
	Bidder shall list below the name of the Manufacturer's l	List/Retail Price Sheet Less:	
	Manufacturer Name:		
			%
	Current price list identification:	, Date:	70
			1

#### **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers: Gang reel type riding mower for small to medium area very to golf course greens:	ine finish	mowing,	and mowing
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 6. Toro Greensmaster 3250D, or equivalent:  All self propelled riding mowing equipment offered as an equivalent shall			
meet or exceed the following minimum requirements:  18 horsepower diesel engine  Cutting width of 59 inches  (3) reel mowing units  0.062" to 0.297" or .0.258" to 1" cutting heights  Drive shaft powered mowing reels  Hydrostatic all wheel drive  Driver station with steering wheel and adjustable seat			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
·			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$
DED GENTLA GE (A/) DAG GOVENE	•	•	

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's L	ist/Retail Price Sheet Less:	
	Manufacturer Name:  Current price list identification:	, Date:	%

#### **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers: Zero turn type rotary blade riding mower for medium and lar and lawn area maintenance:	ge size aı	rea genera	al mowing
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 7. Kubota Model ZD331LP-72, Toro Groundsmaster 360, or equivalent:  All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  30 horsepower diesel engine  Cutting width of 72 inches  (3) rotary mowing blades  1" to 5" cutting height  Drive shaft driven cutter deck  Hydrostatic two wheel drive  Driver station with adjustable seat			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Pri	ce Sheet Less:
	Manufacturer Name:	
	Current price list identification:, Da	te:%

## **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers: Zero turn type rotary blade riding mower for small to medium lawn area maintenance:	n size are	a general	mowing and
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  25 horsepower gasoline engine  Cutting width of 52 inches, minimum  (3) rotary mowing blades  1½" to 5" cutting height  Drive shaft driven cutter deck  Two wheel drive  Driver station with adjustable seat  Anti-scalping wheels or rollers			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
DEDCEMEACE (0/) DISCOUNT.		•	

#### PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail pr	rice sheet for the above item ir
this Category. Discount must be entered on Attachment A1. Attachment B that must be submitted in a Di	isk-R (Readable) Format.

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Ro	etail Price Sheet Less:	
	Current price list identification:	, Date:	%

## **ATTACHMENT A**

CATEGORY 4: Self Propelled Riding Mowers: Zero turn type rotary blade riding mower for small size area maintenance:	general m	nowing an	d lawn area
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 9. John Deere Commercial Z910, Scag Model SFZ48-20FS, Kubota ZG222, or equivalent:			
All self propelled riding mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  20 horsepower gasoline engine  Cutting width of 48 inches  (2) rotary mowing blades  1½" to 4½"" cutting height  Belt driven cutter deck  Two wheel drive  Driver station with adjustable seat  Anti-scalping wheels or rollers			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
PERCENTAGE (%) DISCOUNT: Indicate the % discount offered from the current manufacturer's published price list or v	endor's retail	price sheet for	the above item in

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item i
this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk-R (Readable) Format.

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Re  Manufacturer Name:	tail Price Sheet Less:	
	Current price list identification:,	Date:	%

#### **ATTACHMENT A**

## ----- CATEGORY 5: Walk-Behind Mowing Equipment ------

## **CATEGORY 5: Walk-Behind Mowing Equipment:**

Walk-behind self propelled rotary blade mower for medium size area general mowing and lawn area maintenance:

lawn area maintenance:						
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount			
ITEM 1. Scag model SW48V, John Deere Commercial 7G18, or equivalent:						
All walk-behind mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  15 horsepower gasoline engine  Cutting width of 48 inches, minimum  (3) rotary mowing blades  1½" to 5" cutting height  Belt driven cutter deck  5-speed transmission to drive wheel  Electric starting  Handle mounted controls  Anti-scalping wheels or rollers						
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.						
Manufacturer Name:						
Manufacturer's Make:						
Manufacturer's Model #:						
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.  •						
•						
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$			
PERCENTAGE (%) DISCOUNT:	_[	l				

#### PERCENTAGE (%) DISCOUNT:

ting Category's pigeodine mage we entered on recommend they recommend a since mage we gawinested in a pigir it (attendable) i or mass						
Table 2:	Description		<b>Equipment % Discount</b>			
	Bidder shall list below the name of the Manufacturer's L	ist/Retail Price Sheet Less:				
	Manufacturer Name:		%			
	Current price list identification:	, Date:				

#### **ATTACHMENT A**

CATEGORY 5: Walk-Behind Mowing Equipment: Walk-behind self propelled rotary blade mower for small size area maintenance:	e area ger	neral mow	ing and lawn
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All walk-behind mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  5 horsepower gasoline engine Cutting width of 21 inches (1) rotary mowing blade 1" to 3" cutting height Crankshaft driven cutter blade 3-speed transmission to drive wheel			
<ul> <li>Rear discharge, with bag and mulch plug</li> <li>Handle mounted controls</li> </ul> <b>Table 1:</b> Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
DED CONTEA CH (A/) DISCOUNTE			

#### PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the	e above item in
this Category. Discount must be entered on Attachment A1. Attachment R that must be submitted in a Disk_R (Readahl	e) Format

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

CATEGORY 5: Walk-Behind Mowing Equipment: Walk-behind self propelled reel type mower for finish mowing	ng of golf	greens:	
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Jacobsen Model PGM22, Toro Greensmaster 1600, or equivalent:  All walk-behind mowing equipment offered as an equivalent shall meet or exceed the following minimum requirements:  3.5 horsepower gasoline engine  Cutting width of 21 inches, minimum  (1) 11-blade cutting reel  1/8" to 7/16" cutting height  Belt or chain drive cutting reel  Clutch engagement drive to drive wheel  Handle mounted controls  Grass basket			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$
PERCENTAGE (%) DISCOUNT:			

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

## -- CATEGORY 6: Turf Maintenance & Material Handling Equipment -

Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discoun
ITEM 1. Tycrop MH400, Toro MH-400 or equivalent:			
<ul> <li>All towed top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:</li> <li>Minimum hopper capacity 4 cubic yards</li> <li>Adjustable spreading width of 9' to 35', minimum, with broadcast spinner attachment</li> <li>Towing tractor hydraulic system activates unit</li> <li>Requires minimum 45HP towing tractor</li> <li>60" wide conveyor belt</li> <li>Metering rear gate</li> <li>Swiveling cross conveyor attachment</li> <li>11,500 pounds payload</li> <li>Option for tractor PTO driven hydraulic power pack</li> </ul>			
Table 1:         Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer Name:  Manufacturer's Make:			
Manufacturer's Make:			
Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed			
Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			

tins categor	y. Discoult must be entered on returnment may returnment b that must be submitted in a ba	sii it (iteaaasie) i siinae.
Table 2:	Description	<b>Equipment % Discount</b>
	•	
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:	

CATEGORY 6: Turf Maintenance Equipment:			
Tractor towed large area hydraulic driven top dresser for law Sample of Approved Equipment List	/n area m Quantity	aintenanc Mfg. List Price	Unit Price After Discount
ITEM 2. Tycrop TD460, or equivalent:			
All towed top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum hopper capacity 2.5 cubic yards Spreading width of 72 inches Towing tractor hydraulic system activates unit Requires minimum 45HP towing tractor 72" wide conveyor belt Metering rear gate Hydraulic driven finishing brush 11,000 pounds payload Option for tractor PTO drive			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered			
against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

CATEGORY 6: Turf Maintenance Equipment: Ground driven top dresser for medium to large lawn area ma	intenanc	e:	
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All ground driven top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum hopper capacity 2 cubic yards Spreading width of 60 inches, minimum Ground drive wheels activate unit when towed 9" diameter brush 60" wide conveyor belt Metering rear gate Clutch for conveyor and brush drive 6,000 pounds payload			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	
	Current price list identification:, Date:	%

All ground driven top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum hopper capacity 25 cubic feet Spreading width of 60 inches Ground drive wheels activate unit when towed 9" diameter brush 60" wide conveyor belt Metering rear gate Clutch for conveyor and brush drive 2,000 pounds payload  Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the	ance:	
or exceed the following minimum requirements:  Minimum hopper capacity 25 cubic feet Spreading width of 60 inches Ground drive wheels activate unit when towed 9" diameter brush 60" wide conveyor belt Metering rear gate Clutch for conveyor and brush drive 2,000 pounds payload  Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the	Mfg Lie	Unit Price After Discount
Bidder shall list below the Manufacturer's Name, Make, and Model # of the		
brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:		
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.  Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.  1 EAC	Н   \$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	
	Current price list identification:, Date:	

#### **ATTACHMENT A**

CATEGORY 6: Turf Maintenance Equipment:  Truck mounted broadcast spinner type top dresser for small to medium lawn area maintenance:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All truck mounted top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum hopper capacity 18 cubic feet Spreading width of 15' to 30' with broadcast spinner Mounts on off road service vehicle with flatbed Uses carry vehicle hydraulic system for activation			
<ul> <li>18" wide conveyor belt</li> <li>Metering rear gate</li> <li>1/32 inch to 1/4 inch spread depth</li> </ul>			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

CATEGORY 6: Turf Maintenance Equipment: Truck mounted drop type top dresser for small lawn area ma	aintenanc	e:	
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 6. Toro Topdresser 1800, or equivalent:			
All truck mounted top dresser equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum hopper capacity 18 cubic feet Spread width of 60" Mounts on off road service vehicle with flatbed Uses carry vehicle hydraulic system for activation 60" wide conveyor belt Metering rear gate Variable application rate			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

### ------ CATEGORY 7: Recreation Area Equipment ------

CATEGORY 7: Recreation Area Equipment:		CATEGORY 7: Recreation Area Equipment:			
Self propelled riding ball field and golf course bunker conditioner:					
	Quantity	Mfg. List Price	Unit Price After Discount		
ITEM 1. John Deere 1200, Toro Infield Pro 3040, or equivalent:					
All self propelled riding ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:  15 horsepower gasoline engine 3-wheel Hydrostatic drive Adjustable driver seat with steering wheel Uses a variety of attachments for grounds conditioning, which may include, but not limited to: Leveling blade Field rake or finisher Drag mat Scarifier Grooming broom or brush					
Table 1:					
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.					
Manufacturer Name:					
Manufacturer's Make:					
Manufacturer's Model #:					
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.					
•					
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$		

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	%
	Current price list identification:, Date:	/ <b>U</b>

#### **ATTACHMENT A**

CATEGORY 7: Recreation area Equipment: Self propelled Electric riding ball field conditioner:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Smithco E Star 48V, or equivalent:  All self propelled riding ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:  5 peak horsepower, 48 volt DC electric motor  (4) 12 volt deep cycle batteries  Charging system for 110 VAC or 220 VAC input  Direct drive motor to rear wheels transaxle  Adjustable driver seat with steering wheel  Uses a variety of attachments for grounds conditioning, which may include, but not limited to:  Leveling blade  Field rake or finisher  Drag mat  Scarifier  Grooming broom or brush			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's L	ist/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### **ATTACHMENT A**

CATEGORY 7: Recreation area Equipment: Towed ball field scarifier, rake, and surface conditioner:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Rahn GL650, or equivalent:			
<ul> <li>All towed ball field conditioning equipment offered as an equivalent shall meet or exceed the following minimum requirements:</li> <li>Towed behind small tractor or off road service vehicle</li> <li>Basic unit with locked and float position selection</li> <li>Basic towed unit 70" minimum width</li> <li>Uses a variety of attachments for grounds conditioning, which may include, but not limited to: <ul> <li>Heavy duty scarifier</li> <li>Light duty scarifier</li> <li>Double brush broom</li> </ul> </li> </ul>			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Equipment % Discount
il Price Sheet Less:
%

CATEGORY 7: Recreation area Equipment: Walk-behind self propelled line painter:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 4. Toro Line Painter 1200, or equivalent:  All walk behind line painting equipment offered as an equivalent shall meet			
or exceed the following minimum requirements:  6 HP Gasoline engine, drives unit and paint pump system  3-wheel tricycle chassis  Self propelled, 3-speeds or variable speed  Variable line width, 2" to 6" wide  Fresh water rinse tank, 2 gallons minimum  12 gallons minimum capacity line paint tank			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
•			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

## ------ CATEGORY 8: Hand Held Equipment ------

CATEGORY 8: Hand Held Equipment: Gasoline powered string trimmer:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Echo SRM280T, Stihl FS110R, or equivalent:			
All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum 28cc gasoline engine 17" width of cut Weight of 14 pounds or less Straight shaft, 58" minimum length Minimum fuel capacity 17 ounces Dual trimmer line head			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered			
against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### **ATTACHMENT A**

CATEGORY 8: Hand Held Equipment: Gasoline powered backpack mounted blower unit:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum 60cc gasoline engine Tube mounted throttle Weight of 25 pounds or less Minimum 45 ounce fuel tan capacity Back rest and shoulder straps Minimum air volume with tube 700 cubic feet per minute Exit air speed up to 200 MPH minimum T5 Db(A) maximum noise level			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.  Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	

#### **ATTACHMENT A**

CATEGORY 8: Hand Held Equipment: Gasoline powered Chain Saw:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Husqvarna 450, Echo CS-500P, or equivalent:			
All hand held equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Minimum 50cc gasoline engine  Minimum 3 horsepower  18" bar length  Weight of 13 pounds or less  Chain stop brake  Minimum fuel capacity 12 ounces  Vibration reduction system			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

------ CATEGORY 9: Aerator Equipment -----

CATEGORY 9: Aerator Equipment: Tractor towed PTO driven large area aerator:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All tractor towed aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:			
<ul> <li>98" minimum aeration width</li> <li>Up to 5" aeration depth capability</li> <li>3-point tractor hitch towed, tractor PTO driven</li> <li>45 hp tractor PTO required, 2,300 pounds 3-point hitch lift capacity</li> <li>Choice of coring or solid tines</li> </ul>			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
•			
·			
•			
Bidder must provide the actual price that includes the discount offered			
against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>	
	Bidder shall list below the name of the Manufacturer's L	ist/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### **ATTACHMENT A**

CATEGORY 9: Aerator Equipment: Tractor towed PTO driven deep tine aerator:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Toro Procore SR72, or equivalent:			
All tractor towed aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:  72" minimum aeration width  Minimum 8" aeration depth capability  3-point tractor hitch towed, tractor PTO driven  45 hp tractor PTO required, 2,800 pounds 3-point hitch lift capacity  Choice of coring or solid tines			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Description		Equipment % Discount
Bidder shall list below the name of the Manufacturer's l	List/Retail Price Sheet Less:	
Manufacturer Name:		0/
Current price list identification:	, Date:	%
	Bidder shall list below the name of the Manufacturer's Manufacturer Name:	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:

#### **ATTACHMENT A**

CATEGORY 9: Aerator Equipment: Self propelled small to medium area walk-behind aerator:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Toro Procore 648, or equivalent:			
All walk-behind aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:  48" aeration width  Up to 4" aeration depth capability  23 horsepower gasoline engine  7.5 gallon fuel tank  3-wheel hydrostatic drive system			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

CATEGORY 9: Aerator Equipment: Self propelled small area walk-behind aerator:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 4. John Deere Aercore 800, or equivalent:			
All walk-behind aerator equipment offered as an equivalent shall meet or exceed the following minimum requirements:  31" aeration width  Up to 3" aeration depth capability  23 horsepower gasoline engine  5 gallon fuel tank  wheel drive system			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

## ----- CATEGORY 10: Debris Blower Equipment -----

CATEGORY 10: Blower Equipment: Towed engine driven debris blower, to be towed behind an off road service vehicle:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Toro Proforce 44538, Agrimetal TB-230, or equivalent:			
All truck towed engine driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:  22 horsepower gasoline engine  Turbine fan  Single nozzle blower air chute, 360 degrees rotation  5 gallon fuel tank  Remote control of unit from vehicle driver station, to include blower air chute rotation			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### **ATTACHMENT A**

CATEGORY 10: Blower Equipment: Tractor Towed PTO driven debris blower, medium air volume:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Agrimetal 2500, Proline Model 250, Toro 400 model 44523, or equivalent:			
All tractor towed PTO driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:  25 horsepower tractor PTO, 540 RPM  3-point hitch mounted  Single nozzle blower air chute, 180 degrees rotation  6,000 Cubic feet per minute (CFM) air flow  Turf protection roller			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

CATEGORY 10: Blower Equipment: Tractor Towed PTO driven debris blower, high air volume:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Agrimetal 3500, Proline Model 350, Toro 600 model 44536, or equivalent:			
All tractor towed PTO driven blower equipment offered as an equivalent shall meet or exceed the following minimum requirements:  35 horsepower tractor PTO, 540 RPM  3-point hitch mounted  Single nozzle blower air chute, 180 degrees rotation  9,000 Cubic feet per minute (CFM) air flow  Turf protection roller			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

Table 2:	Description		Equipment % Discount
	Bidder shall list below the name of the Manufacturer's	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%
1			

#### **ATTACHMENT A**

## ----- CATEGORY 11: Seeding Equipment -----

CATEGORY 11: Seeding Equipment: Tractor Towed PTO driven overseeder equipment for large area seeding:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Land Pride OS-15 or equivalent:			
All tractor towed PTO driven over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:  35 horsepower tractor PTO, 540 RPM, minimum, 60HP maximum  3-point hitch mounted  72" seeding width  0" to 1½" seed depth  Slip clutch drive line protection  5 bushel waterproof seed box with seed agitator  Soil slicing knives for seed deposit			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:	%

#### **ATTACHMENT A**

CATEGORY 11: Seeding Equipment:  Tractor Towed ground driven overseeder equipment for med	lium area	seeding:	
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. John Deere TR10, or equivalent:			
All tractor towed ground driven over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:  25 horsepower tractor minimum, 60HP maximum  3-point hitch mounted  48" seeding width  0" to 1½" seed depth  Slip clutch drive line protection  3 bushel seed box  Metering seed cups			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:  Current price list identification:, Date:	%

#### **ATTACHMENT A**

CATEGORY 11: Seeding Equipment: Walk-Behind self propelled overseeder equipment for small	area seed	ing:	
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All walk behind self propelled over seeding equipment offered as an equivalent shall meet or exceed the following minimum requirements:  11 horsepower gasoline engine  V-belt drive  19" seeding width  0" to 1½" seed depth  Belt tightening clutch drive  8 cubic ft. seed box  Soil slicing system for seed deposit  Seed metering system			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:	%

#### ATTACHMENT A

## ------ CATEGORY 12: Spraying Equipment ------

CATEGORY 12: Spraying Equipment: Self propelled riding boom type sprayer:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 1. Toro MP5800, or equivalent:			
All self propelled riding boom type sprayer equipment offered as an equivalent shall meet or exceed the following minimum requirements:  35 horsepower diesel engine  Hydroststic drive  10 gallons fuel tank  18 ft. 3-section folding spray boom, with break-away protection  300 gallons spray solution tank  Enclosed driver cab			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item in this Category.

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet  Manufacturer Name:	Less:
	Current price list identification:, Date:	%

#### **ATTACHMENT A**

CATEGORY 12: Spraying Equipment: Trailer mounted boom type sprayer:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Spraying Devices Inc. (SDI) "Turf-N-Trees", or equivalent:			
All trailer mounted sprayer equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Gasoline engine driven spray media pump  200 gallons fiberglass or polyethylene spray media tank  Media agitation system in tank  18 ft. 3-section folding spray boom, with break-away protection  Hand held tree sprayer with 100 ft. of hose  50 ft. minimum tree spray height  Spray control system			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.   Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Description		Equipment % Discount
Bidder shall list below the name of the Manufacturer's I	ist/Retail Price Sheet Less:	
Manufacturer Name:		
Current price list identification:	, Date:	%
	Bidder shall list below the name of the Manufacturer's I  Manufacturer Name:	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:

#### **ATTACHMENT A**

CATEGORY 12: Spraying Equipment: Off road service vehicle mounted boom type sprayer:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Spraying Devices Inc. (SDI) model 225, Toro Workman 200, or equivalent:  All service vehicle mounted sprayer equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Mounts on heavy duty flatbed off road service vehicle Uses carry vehicle hydraulic system for spray pump drive 200 gallons fiberglass or polyethylene spray media tank Media agitation system in tank 3-section folding spray boom, with break-away protection Hand held spray gun capability with 50 ft. minimum hose 200 psi available spray pressure Spray control system			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		Equipment % Discount
	Bidder shall list below the name of the Manufacturer's I	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

#### ATTACHMENT A

## ----- CATEGORY 13: Miscellaneous Equipment -----

CATEGORY 13: Miscellaneous Equipment: Ground driven towed fertilizer and sand/salt broadcast sprea	ader:		
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
All ground driven towed fertilizer spreader equipment offered as an equivalent shall meet or exceed the following minimum requirements:  Hopper capacity holds 800 pounds of material Equipment is ground wheel driven, no motor drives Broadcast spreading of fertilizer up to 50 feet total width Spreading of sand and road salts up to 18 feet total width Choice of traction profile tires or lawn flotation tires			
Table 1:  Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.  Manufacturer Name:  Manufacturer's Make:  Manufacturer's Model #:  Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Description	<b>Equipment % Discount</b>	t
Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less	<u>:</u>	
Manufacturer Name:		
Current price list identification:, Date:	%	
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less  Manufacturer Name:	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:

#### **ATTACHMENT A**

CATEGORY 13: Miscellaneous Equipment: Tractor Towed PTO driven artificial turf sweeper:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 2. Redexim Verti-Air, or equivalent:			
All tractor towed PTO driven artificial turf sweeper equipment offered as an equivalent shall meet or exceed the following minimum requirements:  35 horsepower tractor PTO, 540 RPM  3-point hitch mounted, 1,550 lbs lift  60" width of sweeping path  Rotary brush  Turbine fan  Filter and sifter			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered			
against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description	<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:	
	Manufacturer Name:	
	Current price list identification:	%

#### **ATTACHMENT A**

CATEGORY 13: Miscellaneous Equipment: Tractor towed engine driven vacuum turf sweeper:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 3. Toro Rake-O-Vac, or equivalent:			
All towed engine driven turf vacuum sweeper equipment offered as an equivalent shall meet or exceed the following minimum requirements:  20 horsepower gasoline engine  3/4" pin type hitch  5 cubic yards capacity debris hopper  60 inch sweep width  Spring loaded flex tip reel for small debris pick up			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Table 2:	Description		<b>Equipment % Discount</b>
	Bidder shall list below the name of the Manufacturer's	List/Retail Price Sheet Less:	
	Manufacturer Name:		
	Current price list identification:	, Date:	%

CATEGORY 13: Miscellaneous Equipment: Walk-Behind self propelled sod cutter:			
Sample of Approved Equipment List	Quantity	Mfg. List Price	Unit Price After Discount
ITEM 4. Ryan Heavy Duty Sod Cutter, or equivalent:			
All walk behind self propelled sod cutter equipment offered as an equivalent shall meet or exceed the following minimum requirements:  5 horsepower gasoline engine  V-belt drive  18" sod cutting width  Sod cutting thickness adjustable to 2½"  Minimum of (2) forward speeds  Clutch operation at handle controls			
Table 1:			
Bidder shall list below the Manufacturer's Name, Make, and Model # of the brand name or equal equipment below.			
Manufacturer Name:			
Manufacturer's Make:			
Manufacturer's Model #:			
Bidder shall list below any exception to the equipment specifications listed above that is not met in the equipment being offered as an equivalent.			
Bidder must provide the actual price that includes the discount offered against the current Published Price List included in your bid response.	1 EACH	\$	\$

#### PERCENTAGE (%) DISCOUNT:

Indicate the % discount offered from the current manufacturer's published price list or vendor's retail price sheet for the above item in this Category. Discount must be entered on Attachment A1, Attachment B that must be submitted in a Disk–R (Readable)

Table 2:	Description	Equipment % Discount
	Bidder shall list below the name of the Manufacturer's List/Retail Price Sheet Less:  Manufacturer Name:  Current price list identification: , Date:	

Ends Attachment A